

Service
Service
Service



Philips Consumer Lifestyle

Service Manual

PRODUCT INFORMATION

Filtration

- Dust capacity : 3.5 l
- Dust bag type : S-Bag
- Exhaust filter : Ultra Clean Air HEPA 13 washable filter
- HEPA Air Seal

Usability

- Action radius : 11 m
- Tube type : Metal 2-piece telescopic tube
- Carrying handle : Top and front
- Dust bag full indicator
- Clean Comfort cassette
- Coupling : Easy release
- Park or storage assist : Back and bottom
- Wheel type : Rubber
- Power control : Electronic on appliance
- Cord length : 8 m
- This product meets the requirements regarding interference suppression on radio and TV.
- After the product has been repaired, it should function properly and has to meet the safety requirements as officially laid down at this moment.

TECHNICAL INFORMATION

- Color : Deep Black
- Input power (max) : 2000 W
- Input power (IEC) : 1800 W
- Suction power (max) : 450 W
- Vacuum (max) : 32 kPa
- Airflow (max) : 42 l/s
- Noise level (Lc IEC) : 73 dB
- Weight : 6.8 kg

Nozzles and accessories


- Standard Nozzle : Low noise SilentSeal nozzle
- Accessories : Crevice tool, Small nozzle, Brush
- Accessories storage : On handgrip

OPTIONAL (accessories)


- FC8021 : S-bag Classic
- FC8022 : S-bag Clinic
- FC8023 : S-bag Anti-Odour
- FC8038 : Ultra clean air washable HEPA13 exhaust filter

DISASSEMBLY- AND RE-ASSEMBLY ADVISE

- To open the appliance, first remove the exhaust filter cover **13**, filter foam **14** and HEPA filter **9**.
- Remove the dustcover **2** by releasing the clicks in the hinges **1** and **12**. (see picture)




- After removing the 4 screws **A** the upper housing **11** can be removed.



- When the repair is finished, check whether all functions of the appliance work properly.
- To disassemble the cord winder **18**, use TORX screwdriver no. T10, which is one of a set consisting of T20; T15; T10; T9; T8; T7 and T6 (code number 4822 395 50145)

REPAIR INSTRUCTION

- The spare parts have been standardized as much as possible.
- Depending on the original cord, the spare cord must be shortened to the length of the original cord.
- The cord winder spring must be tensioned to the maximum level and then be rewound approx. 1.5 turn.
- **Item 22**, safety valve, opens to cool the motor if the air displacement is too low or if the airflow is blocked.
- The motor must only be replaced including the complete suspension assembly **33**. (see picture)



Pos	Service code	Description	
1	4322 003 46091	Dustbag holder	Deep Black
2	4322 009 00391	Dustcover assy	Deep Black
3	4322 005 29051	DBFI assy	
4	4322 009 00361	Dustbag detector kit	
5	4322 000 37301	Tripple inlet filter	
6	4322 003 36991	Inlet grille	
7	4322 001 74361	Dustcover sealing	
8	4322 003 44951	Dustc. hinge Right	Deep Black
9	4322 004 93340	HEPA washable filter	
10	4322 005 30201	Handle cover	
11	4322 009 00411	Upper housing assy	Deep Black
12	4322 003 44941	Dustc. hinge Left	Deep Black
13	4322 009 00471	Filter cover assy	Deep Black
14	4322 000 39331	Filter foam	
15	4322 009 00451	Cord outlet assy	Deep Black
16	4322 005 32141	Side panel assy Right	White/Black
17	4322 003 44851	Dustchamber	Deep Black
18	4322 009 09421	Cordwinder no cord	
19	4322 005 17910	Contact plate assy	
20	4322 003 44901	Control wheel	Deep Black
21	4322 003 37291	Cordwinder lever	
22	4322 005 32911	Safety valve assy	
23	4322 003 38971	Safety valve cap	
24	4322 003 37221	Switch lever	
25	4322 006 24571	PCB Yoga	
26	4322 005 32151	Side panel assy Left	White/Black
27	4322 001 74371	Exhaust sealing	
28	4322 000 39251	Silencer motorpot top	

Pos	Service code	Description	
29	4322 000 39242	Silencer motorpot wall	
30	4322 000 39321	Radial buffer	
31	4322 001 74341	Flexduct	
32	4322 001 51611	Flexduct clamp	
33	4322 005 32121	Motor suspension assy	2000 W
34	4322 003 37991	Grid	
35	4322 003 42851	Wheelcap bracket Right	
36	4322 003 45141	Air channel	
37	4322 009 00431	Wheelcap assy	Deep Black
38	4322 003 42862	Wheelcap bracket Left	
39	4322 000 39231	Silencer lower housing	
40	4322 001 74332	HEPA seal	
41	4322 003 44811	Lower housing	Deep Black
42	4322 005 28971	Shaft assy	
43	4322 005 32131	Caster assy	Deep Black
44	4322 006 07610	Cordset Euro 4.8 mm *	L = 8.3 m
45	4322 006 07620	Cordset Swiss *	
46	4322 006 07630	Cordset UK/HK *	
48	4322 005 32191	Swivel/hose/bend assy	Deep Black
49	4322 004 24071	T.T.Tube Actuator bush	Dark Raven
50	4322 004 23971	Brush nozzle	
51	4322 003 35580	Crevice nozzle	
52	4322 005 10361	Accessory bridge assy	
53	4322 004 24001	Small nozzle assy	
54	4322 004 24121	Nozzle Tai Chi	

* **Standardized colour for all versions**

ELECTRICAL DIAGRAM

