



Philips Consumer Care

Service Manual

Product Information

HR2160 = Basic + Plastic jar

Features:

- Plastic jar material: SAN
- Jar size volume 2.0L to top, minimal 1.5L effectively
- Plastic lid with measuring cup
- Rotary switch with variable speeds and integrated pulse function.
- Ice crush function
- 5 star blade, serrated stainless steel knife; detachable
- Rubber feet (anti-slip)
- Accessories (opt.):
 - Filter
 - Mill (wet & dry)
 - Chopper
 - Food processor

Technical Data:

Power : 600W
Voltage /Frequency : 220-240V / 50-60Hz
Cord length : 100 cm

Dimensions (L x W x H - mm)

Power Unit : 165 x 145 x 170

Power Unit + Jar : 200 x 145 x 405

Weight:

Power Unit : 1,36 kg

Power Unit + Jar : 3,15 kg

Materials:

Housing : PP
Jar : SAN
Knife unit : Stainless steel
Jar lid : PP + rubber
Measuring cup : SAN
Bottom + 2 sides : ABS
Switch : ABS lacquered

Safety:

- This product meets the requirements regarding interference suppression on radio and TV.
- After the product has been repaired, it should function properly and has to meet the safety requirements as officially laid down at this moment.



Pos	12 NC	Description	Remark	CRP
1	9965 100 63154	DRIVING COUPLING ASSY	For HR2160/80	
	4203 035 92251	DRIVING COUPLING ASSY	For HR2160/51/50	
	4203 035 91821	DRIVING COUPLING ASSY	For HR2160/40	
2	9965 100 63153	HOUSING	For HR2160/80	
	4203 035 92261	HOUSING	For HR2160/51/50	
	4203 035 91831	HOUSING	For HR2160/40	
3	9965 100 63151	BOTTOM+STUDS	For HR2160/80	
	4203 035 92271	BOTTOM+STUDS	For HR2160/51/50	
	4203 035 91841	BOTTOM+STUDS	For HR2160/40	
4	9965 100 63146	RUBBER FEET (1 PCE)	For HR2160/80	
	4203 035 92281	RUBBER FEET (1 PCE)	For HR2160/51/50	
	4203 035 91851	RUBBER FEET (1 PCE)	For HR2160/40	
5	9965 100 63156	SPEED/ICE KNOB + SPRING	For HR2160/80	
	4203 035 92291	SPEED/ICE KNOB + SPRING	For HR2160/51/50	
	4203 035 91861	SPEED/ICE KNOB + SPRING	For HR2160/40	
6	9965 100 54316	SAFETY LEVER, SLEEVE AND SPRING	For HR2160/80	
	9965 100 63299	SAFETY LEVER + SLEEVE	For HR2160/51	
	4203 035 91871	SAFETY LEVER + SLEEVE	For HR2160/40/50	
7	4203 035 91881	WATER SHIELD + SLEEVE		
8	4203 035 91891	SAFETY LEVER + BRACKET		
9	4203 035 91901	MOUNTPL.+MICROSWITCHASSY+MICROSW	For HR2160/80/40/50	
	9965 100 63143	MOUNTING PLATE ASSY + MICRO	For HR2160/51	
10	9965 100 63157	POWER CORD(KOREA PLUG)	For HR2160/80	
	9965 100 63144	POWER CORD(SWISS PLUG)	For HR2160/51	
	4203 035 91911	Cordset(WEU)	For HR2160/40	
	4203 035 92141	Cordset(Korea)	For HR2160/40	
	4203 035 92301	Cordset black (WEU)	For HR2160/50	
11	9965 100 63152	MOTOR ASSY	For HR2160/80	
	9965 100 63145	MOTOR ASSY	For HR2160/51	
	4203 035 91921	MOTOR ASSY (WEU)	For HR2160/40/50	
12	9965 100 63155	MEASURING CUP	For HR2160/80	Y
	4203 035 91931	MEASURING CAP	For HR2160/51/40/50	Y
13	9965 100 63148	JAR LID	For HR2160/80	Y
	4203 035 92361	JAR LID BLACK	For HR2160/51/50	Y
	4203 035 91941	JAR LID	For HR2160/40	Y
14	9965 100 63149	PLASTIC JAR	For HR2160/80	Y
	4203 035 92371	PLASTIC JAR BLACK	For HR2160/51/50	Y
	4203 035 91951	Jar assy	For HR2160/40	Y
15	9965 100 63147	KNIFE UNIT JAR + SEALING RING	For HR2160/80	Y
	4203 035 92381	KNIFE UNIT JAR + SEALING RING	For HR2160/51/50	Y
	4203 035 91961	Knife unit jar	For HR2160/40	Y

Reversion list.

Version A: HR2160/51/80 initial release.