



HR2200/80 HR2200/81

Philips Consumer Lifestyle

# **Service Manual**

#### **Technical information**

-Voltage : 220V-240V - Frequency rated : 50Hz -Motor Power rated : 120W -Heating Power rated : 900-990W -Product dimensions( LxDxH) mm

205x153x310mm

-Capacity :1000~1200ml

(for2~4 people)

-Net Weight : 2.0kg

Material

- Jug : Stainless steel- Blade :stainless steel- Motor housing : PP (food contact)

#### **Difference in Power Cord:**

HR2200/80



HR2200/81 For UK



**Published by Philips Consumer Lifestyle** 

**Printed in China** 


©Copy Right Reserved

Subject to modification




### **Product introduction**

## Control panel




- A: Smooth soup program with light. → Smooth soup program to make a smooth soup in 23 minutes.
- B: Chunky soup program with light. → Chunky soup program to make a chunky soup in 20 minutes.
- C: Compote program with light. → Compote program to make a compote in 13 minutes.
- D: Smoothie program with light.→ Smoothie program to make a smoothie in 3 minutes.
- E: Manual blending program with light
- F: Program selection button
- G: Start/stop button

### **Main feathers**



### **Technical information**




Thermal fuse

Jug

Power socket

# **Exploded drawing**



# Spare parts

Position	12NC	Part name	PCM	Remark
1	996510054806	LID HANDLE COVER	Q776K200Y80R	
2	996510057705	LID HANDLE	Q776K360850R	
3	996510057699	SCREW COVER	Q776G955H14R	
4	996510057702	CONTROL PANEL	Q7760095H14R	
5	996510057703	LID COVER	Q7763650850	
6	996510057692	LID	B776298S203R	
7	996510057696	KEY PCB	D9776033002R	
8	996510057691	MAIN PCBA	A7761000002R	
9	996510054782	MOTOR COVER	Q7769420B55R	
10	996510057694	MOTOR ASSY	A7760210002R	
11	996510049007	MOTOR BRACKET SEAL	X6001350001R	
12	996510054807	LID SEAL	X7762820001R	
13	996510054804	ANTI-SPILL SENSOR ASSY	B776328S201R	
14	996510057695	MOTOR HOUSING	Q776D490839R	
15	996510048973	BLADE WASHER	J0200000118R	
16	996510054793	BLADE	J2420000095R	
17	996510048971	DIAMETER 5 SPRING WASHER	J0150000437R	
18	996510048969	M5 LOCK NUT	J0020000186R	
19	996510057698	LOWER COUPLER ASSY	A7767060002R	
19	990310037090	LOWER COUPLER ASST	A7707000002K	
20	996510054785	SEAL FOR LOWER COUPLER	X6920930001R	
21a	996510057693	INNER PAN ASSY (220V)	A7766110002R	
21b	996510057706	INNER PAN ASSY (230V)	A7766110003R	for UK
22	996510048981	COUPLER HOLDER	Q616371AB01	
23	996510054797	CUP HANDLE	Q776F540Y80R	
24	996510057697	CUP HANDLE COVER	Q776A92A850	
25	996510057701	SOCKET ASSY	A7764970002R	
26	996510054799	CUP BASE ASSY	B776084S201R	
27a	996510057704	POWER CORD (2 PINS)	D1AF104D001R	
27b	996510057707	POWER CORD (3 PINS)	D1AH204D001R	for UK

### **DISASSEMBLY ADVISE**




Before you start dismantling! For your safety be sure the plug is disconnected from the mains!

Step 1: Remove the upper handle.






**Step 2:** Remove control panel and screw cover (adhesive label), you can touch eight screws.



Screw cover


**Step 3:** Remove 9 fixing screws. You can get main PCBA, Key PCB.



Main PCBA Assy


## How to replace DC motor.

Step 1: Remove main PCBA and EMC PCB.





Easy-to- click design, easy to remove main PCBA.



Step 2: Remove blade with spanner.



Step 3: Remove dust-protect cover.



**Step 4:** Remove 4 fixing screws, then you can get out the motor.





**DC** motor

### **Trouble shooting**

Yes

Air leaked from motor

house

No


### Overflow Proper No Select proper program Change ingredients and restart program according to recipe selected? Yes No Fill in water between MIN with Water level? Too much or too less water MAX Yes No Ingredients According to recipe to control Too much ingredients the quantity Yes No Is Overflow Overflow is dirty Clean the overflow normal? Overflow cable is broken Repair it Yes Overflow cable isn't connected connect with grounding wire No Is main **PCBA** Replace main PCBA normal?

Replace motor house


Issue close

## **Trouble shooting**

After 20 minutes, ingredients are not bladed.



### Alarming when power cord plugs in



# **Trouble shooting**

Problem	Cause	Solution			
TODICIII	Oudse	Check if the small plug is inserted in the			
		appliance properly and if mains plug is			
		inserted in the wall socket properly. Remove			
	There is connection problem	the plugs and reinsert them.			
	The motor unit does not fit				
	onto the jug properly	Remove some of the ingredients and make			
The appliance doesn't	because there are too many	sure not to fill the jug beyond the MAX			
work	ingredients in the jug.	indication.			
		Please contact with local service center or			
	Motor unit problem	call center			
		Check if the small plug is inserted in the			
		appliance properly and if mains plug is			
		inserted in the wall socket properly. Remove			
	There is connection problem	the plugs and reinsert them.			
	During making process,	Please follow the proper steps to make			
	power had been cut off.	soup.			
		Make sure motor unit connector and the jug			
	The motor unit does not fit	connector are aligned before you lower the			
The light of selected	onto the jug properly	motor unit into the jug.			
mode doesn't go on		Remove some of the ingredients and make			
	You have exceeded the	sure the ingredients are spread evenly over			
	MAX indication in the jug.	the bottom of the jug.			
The light of selected	You have not pressed start				
program is on, but the	button.	Press the start button.			
appliance doesn't work		Remove some of the ingredients and make			
	You have exceeded the	sure the ingredients are spread evenly over			
	MAX indication in the jug.	the bottom of the jug.			
The ingredients have		Remove some of the ingredients and make			
not blended well		sure the ingredients are spread evenly over			
	indication in the jug	the bottom of the jug.			
	You have selected wrong	Calast sourcet programs according to regine			
The same Canada	program	Select correct program according to recipe			
The appliance	Vou have evended the MAY	Remove some of the ingredients and make			
overflows		sure the ingredients are spread evenly over			
	indication in the jug	the bottom of the jug. The overflow sensor prevents the appliance			
	The overflow sensor is dirty	from overflowing. Clean the overflow sensor.			
	You have selected wrong	nom overnowing. Olean the overnow sensor.			
	program	Select correct program according to recipe			
	You did not add enough	Make sure the liquid level is above the MIN			
	water or other liquid	and below the MAX indication.			
	nator or other liquid	The soup maker is not suitable for heating			
The food is burnt	You have heated up milk	up milk.			
This chapter summarises the most common problems you could encounter with the appliance. If					

This chapter summarises the most common problems you could encounter with the appliance. If you are unable to solve the problem with the information below, visit **www.philips.com/support for a list of frequently** asked questions or contact the Consumer Care Centre in your country.